

Work Order ID 146635

146635

Page 1

Thursday, May 19, 2016 2:59:54 PM

Item ID: D2892-1

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Support

Start Date: 5/5/2016 Start Qty: 5.00 *5*

Cust Item ID:

Required Date: 5/19/2016 Req'd Qty: 5.00 *5*

Customer:

Reference:

Approvals: Process Plan: MC5 Date: MAY 25 2016 Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start *NR1*

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D2892	B								

100

0.00

100

HAAS CNC VERTICAL MACHINING #1

HAAS 1

Memo

1.90

HAAS CNC vertical machine #1

1-Machine as per Folio FA082
2-Deburr

10 0 DAS 20 9-89 16-07-07

110

0.00

110

QC2- Inspect parts off machine FAI/FAIB

QC

Memo

0.05

Quality Control

10 0 DAS 20 9-89 16-07-07

120

0.00

120

QC8- Inspect parts - second check

QC

Memo

0.10

Quality Control

10 0 DAS 08 9-89 16/07/08

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐							
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval				
Description Work Order Deviation				Disposition				Completed By			
Root Cause				FAULT CATEGORY							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐		No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐		Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐		Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐		Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	
OTHER : ☐											

Work Order ID 146635

Thursday, May 19, 2016 2:59:54 PM

146635

Page 2

Item ID: D2892-1

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Support

Start Date: 5/5/2016 Start Qty: 5.00

5

Cust Item ID:

Required Date: 5/19/2016 Req'd Qty: 5.00

5

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130		0.00							DAS 41 9-89
130						10			
HandFXtube	Memo	0.10							16-7-11
Hand Finishing Crosstubes	Per note 8 on page 1 of dwg D2892, Prep inner concave surface of support and apply 3M Scotch-Weld as per dwg. 24h of cure time	134469							
140	QC3- Inspect Part Finish	0.00							DAS 38 9-89
140						10			
QC	Memo	0.05							
Quality Control									JUL 12 2016
170	Identify as per dwg & Stock Location: _____	0.00							
170									
Packaging	Memo	0.05							
Packaging	LOCATION : LG050								

10
DAS
6
9-89
JUL 12 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐							

Work Order ID 146635

Thursday, May 19, 2016 2:59:54 PM

146635

Page 3

Item ID: D2892-1

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Support

Start Date: 5/5/2016 Start Qty: 5.00

5

Cust Item ID:

Required Date: 5/19/2016 Req'd Qty: 5.00

5

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
180	QC21- Final Inspection - Work Order Release	0.00							
180									
QC	Memo	0.50							
Quality Control									

DAS
21

9-89 JUL 12 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Picklist Print

Thursday, May 19, 2016 2:59:54 PM

Page 1

Work Order ID: 146635

146635

Parent Item: D2892-1

D2892-1

Parent Item Name: Support

Start Date: 5/5/2016

Required Date: 5/19/2016

Start Qty: 5.00

Required Qty: 5.00

Comments:

IPP C02.11.26Added P/O KJ

IPP D 08.03.19 Re-format EC verified by: DD

IPP Rev:E

11.08.04 as per dwg rev.B DD verf:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
DSK077 /		Manufactured	No			110	Each	0.0000	0.5	3		DAS	
DSK077									**	5		20	
D2892-1 Turning Detail												9-89	16-07-06

2146 9273

5

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	

Root Cause			FAULT CATEGORY																																																												
Environment ☐	Design ☐	Doc/Data ☐	Equip/Tooling ☐	Handling/Pre ☐	Material ☐	Internal Transport ☐	Tribal Knowledge ☐	LOA ☐	Substation ☐	Past Expiry Date ☐	Misidentified ☐	No Re-verification ☐	Operator ☐	Offset/Setup ☐	Supplier ☐	Training ☐	Use for Testing ☐	Poor Information ☐	Rushing ☐	Product Improvement ☐	Process Improvement ☐	Manufacturing Process ☐	Past Due ☐	Pressure/Forced ☐	Bending ☐	Centre Not Concentric ☐	Cracks ☐	Crimp/Kink/Ripple/Wave ☐	Cuffs ☐	Crushing ☐	Heat Treat ☐	Wave/Twist in Tube ☐	Marks/Chatter ☐	Temperature/Cure ☐	Set-up ☐	BOM/Route ☐	Broken/Damage/Defect ☐	Inspection Incomplete/Unqualified ☐	Contamination ☐	Countersink ☐	Cut Too Short ☐	Instructions Incomplete/Unclear ☐	Drill Holes ☐	Power Loss/Surge ☐	Folio/Program ☐	Grain ☐	Weld ☐	Wrong Stock Pulled ☐	Out of Sequence ☐	Off-set ☐	Mislabeled ☐	Fit/Function ☐	Misaligned/off center ☐	Positioned Wrong ☐	Outside Dimensions ☐	Over/Under tolerance ☐	Part Incorrect ☐	Part Lost/Missing ☐	Part Moved ☐	Drawing ☐	Finish ☐	Misread ☐	Turning Sequence ☐
OTHER : _____																																																															

DART AEROSPACE LTD		Work Order:	146635
Description: Ø2.500 Support		Part Number:	D2892-1
Inspection Dwg: D2892		Rev: B	Page 1 of 1

FIRST ARTICLE INSPECTION DIMENSION SHEET

				Record Actual Dimensions				
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	5
HAAS Section								
AA	0.115	0.150		.131	.131	.131	.131	.131
AB	0.290	0.310		.300	.300	.300	.300	.300
AC	0.040	0.060		.050	.050	.050	.050	.055
AD	0.115	0.150		.122	.122	.123	.123	.123
AE	0.240	0.260		.250	.250	.245	.247	.245
AF	0.188	0.193		.190	.190	.190	.190	.190
AG	0.240	0.260		.250	.250	.250	.250	.250
AH	1.116	1.156		1.145	1.145	1.147	1.145	1.143
AI	0.454	0.474		.470	.470	.466	.465	.463
AJ	0.240	0.260		.250	.250	.250	.250	.250
AK	0.053	0.073		.063	.063	.063	.063	.063
AL	0.257	0.262		.261	.261	.261	.261	.261
AM	1.663	1.683		1.678	1.678	1.680	1.680	1.680
AN	0.053	0.073		.063	.063	.063	.063	.063
AO	0.022	0.042		.032	.032	.032	.032	.032
AP	2.779	2.789		2.784	2.784	2.784	2.784	2.784
AQ								
AR								
AS								
AT								
Accept/Reject								

Measured by:	DAS 20 9-89 16-07-07	Date:	
Audited by:	B.A 16/07/08	Date:	
Preliminary Approval:		Date:	

Rev	Date	Change	Revised by	Approved
A	02.12.12	New Issue	KJ/RF	
B	08.04.21	Reformat	KJ/JLM	
C	12.01.31	Dwg Rev updated	KJ	
D	13.05.22	Dimensions updated	KJ	

DART AEROSPACE LTD		Work Order:	146635
Description: Ø2.500 Support		Part Number:	D2892-1
Inspection Dwg: D2892	Rev: B	Page 1 of 1	

FIRST ARTICLE INSPECTION DIMENSION SHEET


				Record Actual Dimensions				
Dim	Min	Max	Go/No Go Gauge	6 #	7 #	8 #	9 #	10 #
HAAS Section								
AA	0.115	0.150		.131	.131	.131	.131	.131
AB	0.290	0.310		.300	.300	.300	.300	.300
AC	0.040	0.060		.055	.051	.051	.052	.052
AD	0.115	0.150		.123	.123	.123	.123	.123
AE	0.240	0.260		.245	.245	.245	.245	.245
AF	0.188	0.193		.190	.190	.190	.190	.190
AG	0.240	0.260		.250	.250	.250	.250	.250
AH	1.116	1.156		1.146	1.146	1.146	1.146	1.147
AI	0.454	0.474		.463	.464	.464	.464	.460
AJ	0.240	0.260		.250	.250	.250	.250	.250
AK	0.053	0.073		.063	.063	.063	.063	.063
AL	0.257	0.262		.261	.261	.261	.261	.261
AM	1.663	1.683		1.680	1.679	1.679	1.680	1.680
AN	0.053	0.073		.063	.063	.063	.063	.063
AO	0.022	0.042		.032	.032	.032	.032	.032
AP	2.779	2.789		2.784	2.784	2.784	2.784	2.784
AQ								
AR								
AS								
AT								
Accept/Reject								

Measured by:	DAS 20 9-89 16-07-07	Date:	
Audited by:	A. 16/07/08	Date:	
Preliminary Approval:		Date:	

Rev	Date	Change	Revised by	Approved
A	02.12.12	New Issue	KJ/RF	
B	08.04.21	Reformat	KJ/JLM	
C	12.01.31	Dwg Rev updated	KJ	
D	13.05.22	Dimensions updated	KJ	



NOTES:

- 1) MATERIAL: 17-4 PH STAINLESS STEEL, H900 OR H925 CONDITION
MIN UTS = 170 KSI (38 HRC)
(REF DART SPEC. D6104)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 (REF. X.XXX = ± 0.010) UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: DART LOGO (PER DART SUPPLIED GRAPHIC) AND PART NUMBER IN THIS AREA WITH 0.125 HIGH LETTERING
0.010-0.020 DEEP, PER DART QSI 044 6.3.
- 7) WEIGHT: 0.41 lb
- 8) FOR THE ENTIRE INNER CONCAVE SURFACE:
ABRADE SURFACE WITH 400-GRIT SANDPAPER. REMOVE RESIDUE WITH MEK (OR EQUIVALENT). APPLY 0.03" TO 0.05" THICK LAYER OF 3M SCOTCH-WELD 2216 B/A ADHESIVE TO MATING SURFACE OF SUPPORT. ALLOW TO CURE FOR 24 HOURS.




SEE COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
146635 MJS
1605 JH

RELEASED
2011-07-28



D2892-1 SUPPORT



B	RMV FINISH, ADD 3M 2216, ADD H925 MAT'L OPTION, UPDATE TOLERANCE (ZN D5-1,B5-1,B6-1)	CP	11.07.15
A	NEW ISSUE	CP	00.11.17
REV.	DESCRIPTION	BY	DATE
DESIGN	P	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	P		
CHECKED	ASS	DRAWING NO.	REV. B
MFG. APPR.		D2892	SHEET 1 OF 1
APPROVED		TITLE	SCALE
DE APPR.		Ø2.500 SUPPORT	NTS
DATE	11.07.15	COPYRIGHT © 2000 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	